



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/674,040	09/29/2003	Durga Prasad Malladi	030245	2580
23696	7590	07/28/2005	EXAMINER	
Qualcomm Incorporated Patents Department 5775 Morehouse Drive San Diego, CA 92121-1714			NGUYEN, KHAI MINH	
			ART UNIT	PAPER NUMBER
			2687	

DATE MAILED: 07/28/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/674,040

Applicant(s)

MALLADI ET AL.

Examiner

Khai M. Nguyen

Art Unit

2687

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 29 September 2003.
2a) ☐ This action is FINAL. 2b) ☒ This action is non-final.
3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-33 is/are pending in the application.
4a) Of the above claim(s) _____ is/are withdrawn from consideration.
5) ☐ Claim(s) _____ is/are allowed.
6) ☒ Claim(s) 1-3, 5-14, 16-18 and 22-32 is/are rejected.
7) ☒ Claim(s) 4, 15, 19-21 and 33 is/are objected to.
8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
10) ☒ The drawing(s) filed on 29 September 2003 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3) ☒ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date 12/2/04.
4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____.
5) ☐ Notice of Informal Patent Application (PTO-152)
6) ☐ Other: _____.

DETAILED ACTION

Information Disclosure Statement

1. The references listed in the Information Disclosure Statement filed on December 2, 2004 have been considered by the examiner (see attached PTO-1449 form or PTO/SB/08A and 08B forms).

Claim Rejections - 35 USC § 102

2. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims **1, 5-12, 16-18, 22-30** are rejected under 35 U.S.C. 102(b) as being anticipated by Jung (U.S.Pat-6049719).

Regarding claim 1, Jung teaches a wireless communication system (fig.2, col.3, lines 11- 15) comprising:

a network (fig.1-2 col.3, lines 11-15);

a first base station coupled to the network (fig.1-2, col.2, lines 3-15); and

a mobile station coupled to the base station via a wireless communication link (fig.1-2, col.2, lines 3-15, *mobile station transmits the strength measurement message (PSMM) signal to base station*);

wherein the network is configured to direct the mobile station to enter or leave soft handoff status (fig.1-3, col.3, lines 11-67); and

wherein the mobile station is configured to modify a set of transmission parameters in response to the network directing the mobile station to enter or leave soft handoff (fig.1-3, col.2, line 3 to col.3, line 67).

Regarding claim 5, Jung teaches a wireless communication system as recited in claim 1, wherein the mobile station is configured to measure a pilot signal strength for each of one or more base stations (fig.1-3, 6, col.2, line 3 to col.3, line 67) wherein the one or more base stations include the first base station (fig.1-3, 6) and to periodically transmit one or more pilot strength measurement messages to the network (fig.1-3, 6, col.2, line 3 to col.3, line 67).

Regarding claim 6, Jung teaches a wireless communication system as recited in claim 5, wherein the network is configured to identify a change in a number of base stations in an active set for the mobile station based on the pilot strength measurement messages (fig.1-3, 6, col.1, line 47 to col.2, line 48) and to direct the mobile station to

enter or leave soft handoff based on the change in the number of base stations in the active set (fig.1-3, 6, col.1, line 47 to col.2, line 48).

Regarding claim 7, Jung teaches a wireless communication system as recited in claim 6, wherein the network is configured to direct the mobile station to enter or leave soft handoff by sending a handoff direction message (HDM) to the mobile station (fig.1-3, 6, col.1, lines 36-65, col.5, lines 35-67).

Regarding claim 8, Jung teaches a wireless communication system as recited in claim 7, wherein the mobile station is configured to modify the transmission parameter in response to receiving the HDM from the network (fig.1-3, 6, col.2, line 3 to col.3, line 67).

Regarding claim 9, Jung teaches a wireless communication system as recited in claim 8, wherein the mobile station is configured to transmit a handoff completion message to the network after receiving the HDM (fig.1-3, 6, col.2, line 3 to col.3, line 67).

Regarding claim 10, Jung teaches a mobile station configured to operate in a wireless communication system (fig.1-3) comprising:

a processing subsystem (fig.1-3, col.2, line 42 to col.3, line 3); and

a transceiver subsystem (fig.1-3, col.3, line 42 to col.3, line 3);

wherein the processing subsystem is configured to set a transmission parameter for the transceiver subsystem in response to detecting that the mobile station is entering or leaving soft handoff (fig.1-3, col.2, line 3 to col.3, line 67).

Regarding claim 11, Jung teaches a mobile station as recited in claim 10, wherein the processing subsystem is configured to detect that the mobile station is entering or leaving soft handoff based upon a received handoff direction message (HDM) (fig.1-3, 6, col.2, line 3 to col.3, line 67).

Regarding claim 12, Jung teaches a mobile station as recited in claim 11, wherein the processing subsystem is configured to set the transmission parameter to a first value if the HDM directs the mobile station to enter soft handoff (fig.1-3, 6, col.2, line 3 to col.3, line 67), and to set the transmission parameter to a second value if the HDM directs the mobile station to leave soft handoff (fig.1-4, 6, col.4, line 48 to col.5, line 12).

Regarding claim 16, Jung teaches a mobile station as recited in claim 11, further comprising measuring a pilot signal strength for each of one or more base stations and periodically transmitting one or more pilot strength measurement messages to a network connected to the base stations (fig.1-3, 6, col.2, line 3 to col.3, line 67).

Regarding claim 17, Jung teaches a mobile station as recited in claim 16, further comprising transmitting a handoff completion message to the network after receiving the HDM (fig.1-3, 6, col.1, lines 36-65, col.5, lines 35-67).

Regarding claim 18, Jung teaches a method implemented in a wireless communication system (fig.1-3) comprising:

detecting a mobile station entering or leaving soft handoff (fig.1-3, abstract, col.1, lines 36-65); and

modifying a transmission parameter for the mobile station in response to detecting the mobile station entering or leaving soft handoff (fig.1-3, col.1, line 36 to col.2, line 19).

Regarding claim 22, Jung teaches a method as recited in claim 18, further comprising the mobile station measuring a pilot signal strength for each of one or more base stations and periodically transmitting one or more pilot strength measurement messages to a network (fig.1-4, 6, col.2, line 3 to col.3, line 67, col.4, line 48 to col.5, line 12).

Regarding claim 23, Jung teaches a method as recited in claim 22, wherein detecting the mobile station entering or leaving soft handoff comprises identifying a change in a number of base stations in an active set for the mobile station based on the pilot strength measurement messages (fig.1-4, 6, col.1, line 47 to col.2, line 48, col.4, line 48 to col.5, line 12).

Regarding claim 24, Jung teaches a method as recited in claim 23, further comprising sending a handoff direction message (HDM) from the network to the mobile station in response to detecting the change in a number of base stations in an active set (fig.1-4, 6, col.2, line 3 to col.3, line 67, col.4, line 48 to col.5, line 12).

Regarding claim 25, Jung teaches a method as recited in claim 24, wherein modifying the transmission parameter for the mobile station is performed in response to

receiving the HDM from the network (fig.1-4, 6, col.2, line 3 to col.3, line 67, col.4, line 48 to col.5, line 12).

Regarding claim 26, Jung teaches a method as recited in claim 25, further comprising transmitting a handoff completion message from the mobile station to the network after receiving the HDM (fig.1-3, 6, col.1, lines 36-65, col.5, lines 35-67).

Regarding claim 27, Jung teaches a method implemented in a mobile station (fig.1-3) comprising:

detecting that the mobile station is entering or leaving soft handoff (fig.1-3, abstract, col.1, lines 36-65);

if the mobile station is entering soft handoff, setting a transmission parameter to a first value (fig.1-4, col.1, line 36 to col.2, line 19, col.3, line 49 to col.4, line 17); and

if the mobile station is leaving soft handoff, setting a transmission parameter to a second value (fig.1-4, col.1, line 36 to col.2, line 19, col.3, line 49 to col.4, line 17).

Regarding claim 28, Jung teaches a method as recited in claim 27, wherein detecting that the mobile station is entering or leaving soft handoff comprises receiving

a handoff direction message (HDM) from the network (fig.1-3, 6, col.1, lines 36-65, col.5, lines 35-67).

Regarding claim 29, Jung teaches a method as recited in claim 27, further comprising measuring a pilot signal strength for each of one or more base stations and periodically transmitting one or more pilot strength measurement messages to a first one of the base stations (fig.1-3, 6, col.6, line 61 to col.7, line 38).

Regarding claim 30, Jung teaches a method as recited in claim 29, further comprising transmitting a handoff completion message to the first one of the base stations after receiving the HDM (fig.1-3, 6, col.6, line 61 to col.7, line 38).

Claim Rejections - 35 USC § 103

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims **2-3, 13-14, 31-32** are rejected under 35 U.S.C. 103(a) as being unpatentable over Jung (U.S.Pat-6049716) in view of Hunzinger et al. (U.S.Pub-20020172192).

Regarding claim 2, Jung teaches a wireless communication system as recited in claim 1,

Jung fails to specifically disclose the transmission parameter comprises a frame size, wherein if the mobile station is directed to enter soft handoff, the frame size is set to a first size and wherein if the mobile station is directed to leave soft handoff, the frame size is set to a second size. However, Hunzinger teaches the transmission parameter comprises a frame size (paragraph 0018, 0058-0059), wherein if the mobile station is directed to enter soft handoff, the frame size is set to a first size (paragraph 0018, 0058-0059, 0109) and wherein if the mobile station is directed to leave soft handoff, the frame size is set to a second size (paragraph 0018, 0058-0059, 0109). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to use the transmission parameter comprises a frame size, wherein if the mobile station is directed to enter soft handoff, the frame size is set to a first size and wherein if the mobile station is directed to leave soft handoff, the frame size is set to a second size as taught by Hunzinger with Jung teaching in order to provide coverage over larger areas to meet consumer demand.

Regarding claim 3, Jung and Hunzinger further teaches a wireless communication system as recited in claim 2, wherein the first size is greater than the second size (see Jung, col.1, line 55 to col.2, line 19, see Hunzinger, paragraph 0018, 0058-0059, 0109).

Regarding claim 13, Jung teaches a mobile station as recited in claim 12,

Jung fails to specifically disclose the transmission parameter comprises frame size. However, Hunzinger teaches the transmission parameter comprises a frame size (paragraph 0018, 0058-0059). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to use the transmission parameter comprises a frame size as taught by Hunzinger with Jung teaching in order to provide coverage over larger areas to meet consumer demand.

Regarding claim 14, Jung and Hunzinger further teaches a mobile station as recited in claim 13, wherein the first size is greater than the second size (see Jung, col.1, line 55 to col.2, line 19, see Hunzinger, paragraph 0018, 0058-0059, 0109).

Regarding claim 31, Jung teaches method as recited in claim 27,

Jung fails to specifically disclose the transmission parameter comprises frame size. However, Hunzinger teaches the transmission parameter comprises a frame size (paragraph 0018, 0058-0059). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to use the transmission parameter comprises a frame size as taught by Hunzinger with Jung teaching in order to provide coverage over larger areas to meet consumer demand.

Regarding claim 32, Jung and Hunzinger further teaches a method as recited in claim 31, wherein the first value is greater than the second value.

Allowable Subject Matter

4. Claims 4, 15, 19-21, 33 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Citation of Pertinent Prior Art

5. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Kim (U.S.Pat-20030129981) discloses Apparatus and method for accomplishing handoff between mobile communication systems of different generations.

Hanly (U.S.Pub-20020160767) discloses Method of power control and cell site selection based upon path gain and interference level.

Panchal et al. (U.S.Pub-20040224711) discloses Method and apparatus for CDMA soft handoff for dispatch group members.

Tuutijarvi et al. (U.S.Pat-5774809) discloses Simplified mobile assisted handoff of signal between cells.

Kim (U.S.Pat-6654609) discloses Method for measuring location of mobile station and for performing handoff using the same in mobile communication system.

Ramakrishna et al. (U.S.Pat-6233455) discloses Method for utilizing negative T_{comp} to improve handoff reliability.

Jeong et al. (U.S.Pat-6195552) discloses Method and system for controlling a pilot measurement request order (PMRO).

Chae et al. (U.S.Pub-20030137953) discloses Apparatus and method for determining a soft handover in a CDMA mobile communication system.

Keskitalo et al. (U.S.Pat-5966670) discloses Method for transmitting a pilot signal, and a cellular radio system.

Willey (U.S.Pat-6505058) discloses Method for determining whether to wake up a mobile station.

Shin (U.S.Pub-20020051432) discloses Method and system for making handoff between CDMA mobile communication system.

Ramakrishna et al. (U.S.Pat-6496496) discloses Crucial control message transmission method and systems.

Kang et al. (U.S.Pat-5781861) discloses Method for shedding traffic load in code division multiple access mobile communication system.


Conclusion

6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Khai M. Nguyen whose telephone number is 571.272.7923. The examiner can normally be reached on 8:00-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Lester Kincaid can be reached on 571.272.7922. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Khai Nguyen
Au: 2687

7/15/2005

LESTER G. KINCAID
SUPERVISORY PRIMARY EXAMINER